


アルミニウムとその合金  
**型・管・棒・線**




ISO 9001 認証取得

アルミ 型・管・棒 センター

**和伸商事株式会社**

# \* 丸棒 (1)




<比重>

- A1070 …… 2.71
- A2017 …… 2.80
- A5052 …… 2.69
- A5056 …… 2.63
- A6061 …… 2.71
- C 6 P …… 2.80

| サイズ (D) | kg/mt (A1070) | A1070 (1S) | A2017 T4 (17S) | A5052 (52S)    | A5056 (56S)  | A6061 T6 (61S) | C6PT8 (A2011) (11S相当) | 長さ (mm) |
|---------|---------------|------------|----------------|----------------|--------------|----------------|-----------------------|---------|
| 3       | 0.019         | ○          |                | ○              |              |                |                       | 2,000   |
| 4       | 0.034         | ○          |                | ○              |              |                |                       |         |
| 5       | 0.053         | ○          | ○              | ○              |              |                | ○                     |         |
| 6       | 0.076         | ○          | ○              | ○              |              |                | ○                     |         |
| 7       | 0.104         | ○          | ○              | ○              |              |                | ○                     |         |
| 8       | 0.136         | ○          | ○              | ○              | ○<br>L=4,000 |                | ○                     |         |
| 9       | 0.175         | ○          | ○              | ○              |              |                | ○                     |         |
| 10      | 0.212         | ○          | ○              | ○<br>(L=2,000) | ○            | ○              | ○<br>L=2,000          |         |
| 11      | 0.257         | ○          | ○              | ○              |              |                | ○<br>L=2,000          |         |
| 12      | 0.307         | ○          | ○              | ○              | ○            |                | ○<br>L=2,000          |         |
| 13      | 0.359         | ○          | ○              | ○              | ○            |                |                       |         |
| 14      | 0.417         | ○          | ○              | ○              | ○            |                | ○<br>L=2,000          |         |
| 15      | 0.478         | ○          | ○              | ○              | ○            |                | ○<br>L=2,000          |         |
| 16      | 0.549         | ○          | ○              | ○              | ○            | ○              | ○<br>L=2,000          |         |
| 17      | 0.615         | ○          | ○              | ○              | ○            |                |                       |         |
| 18      | 0.690         | ○          | ○              | ○              | ○            |                |                       |         |
| 19      | 0.768         | ○          | ○              | ○              | ○            | ○              |                       |         |
| 20      | 0.852         | ○          | ○              | ○              | ○            | ○              |                       |         |
| 21      | 0.939         |            | ○              |                |              |                |                       |         |
| 22      | 1.030         | ○          | ○              | ○              | ○            |                |                       |         |
| 23      | 1.126         |            | ○              |                |              |                |                       |         |
| 24      | 1.226         |            | ○              |                |              |                |                       |         |
| 25      | 1.330         | ○          | ○              | ○              | ○            | ○              |                       |         |
| 26      | 1.438         | ○          | ○              | ○              | ○            |                |                       |         |
| 28      | 1.669         | ○          | ○              | ○              | ○            |                |                       |         |
| 30      | 1.916         | ○          | ○              | ○              | ○            | ○              |                       |         |
| 32      | 2.180         | ○          | ○              | ○              | ○            | ○              |                       |         |
| 33      | 2.371         |            | ○              |                |              |                |                       |         |
| 34      | 2.461         |            | ○              |                |              |                |                       |         |
| 35      | 2.608         | ○          | ○              | ○              | ○            | ○              |                       |         |
| 36      | 2.800         | ○          | ○              | ○              | ○            |                |                       |         |
| 38      | 3.104         | ○          | ○              | ○              | ○            |                |                       |         |
| 40      | 3.406         | ○          | ○              | ○              | ○            | ○              |                       |         |
| 42      | 3.754         | ○          | ○              | ○              | ○            | ○              |                       |         |
| 45      | 4.310         | ○          | ○              | ○              | ○            | ○              |                       |         |
| 46      | 4.501         |            | ○              |                |              |                |                       |         |
| 48      | 4.901         |            | ○              | ○              | ○            |                |                       |         |
| 50      | 5.321         | ○          | ○              | ○              | ○            | ○              |                       |         |

\*  
丸  
棒  
(2)




(外径/2)<sup>2</sup> × 3.14 × 比重 = g / mt

| サイズ<br>(D) | kg/mt<br>(A1070) | A1070<br>(1S) | A2017<br>T4<br>(17S) | A5052<br>(52S) | A5056<br>(56S) | A6061<br>T6<br>(61S) | C6PT8<br>(A2011)<br>(11S相当) | 長さ<br>(mm) |
|------------|------------------|---------------|----------------------|----------------|----------------|----------------------|-----------------------------|------------|
| 52         | 5.753            |               | ○                    |                |                |                      |                             | 4,000      |
| 55         | 6.438            | ○             | ○                    | ○              | ○              | ○                    |                             |            |
| 60         | 7.719            | ○             | ○                    | ○              | ○              | ○                    |                             |            |
| 65         | 9.056            | ○             | ○                    | ○              | ○              | ○                    |                             |            |
| 70         | 10.506           | ○             | ○<br>(L=4,000)       | ○              | ○              | ○                    |                             |            |
| 75         | 12.061           | ○             | ○<br>(L=4,000)       | ○              | ○              | ○                    |                             |            |
| 80         | 13.722           | ○             | ○<br>(L=4,000)       | ○              | ○              | ○                    |                             |            |
| 85         | 15.377           | ○             | ○<br>(L=4,000)       | ○              | ○              | ○                    |                             |            |
| 90         | 17.241           | ○             | ○<br>(L=4,000)       | ○              | ○              | ○                    |                             |            |
| 95         | 19.205           | ○             | ○<br>(L=4,000)       | ○              | ○              | ○                    |                             |            |
| 100        | 21.284           | ○             | ○                    | ○              | ○              | ○                    |                             |            |
| 105        | 23.550           |               | ○                    |                | ○              |                      |                             |            |
| 110        | 25.754           | ○             | ○                    | ○              | ○              | ○                    |                             |            |
| 115        | 28.013           |               | ○                    |                |                |                      |                             |            |
| 120        | 30.649           | ○             | ○                    | ○              | ○              | ○                    |                             |            |
| 130        | 35.963           | ○             | ○                    | ○              | ○              | ○                    |                             |            |
| 140        | 41.650           | ○             | ○                    | ○              | ○              | ○                    |                             |            |
| 150        | 47.800           | ○             | ○                    | ○              | ○              | ○                    |                             |            |
| 160        | 54.900           | ○             | ○                    | ○              | ○              | ○                    |                             |            |
| 170        | 61.480           |               | ○                    | ○              | ○              | ○                    |                             |            |
| 180        | 69.000           |               | ○                    | ○              | ○              | ○                    |                             |            |
| 190        | 76.800           |               | ○                    | ○              | ○              | ○                    | 2,000                       |            |
| 200        | 85.200           |               | ○                    | ○              | ○              | ○                    |                             |            |
| 210        | 93.820           |               | ○                    | ○              | ○              | ○                    |                             |            |
| 220        | 103.000          |               | ○                    |                | ○              | ○                    |                             |            |
| 230        | 112.600          |               | ○                    |                | ○              | ○                    |                             |            |
| 240        | 122.600          |               | ○                    |                | ○              | ○                    |                             |            |
| 250        | 133.000          |               | ○                    |                | ○              | ○                    |                             |            |
| 260        | 143.800          |               | ○                    |                | ○              | ○                    |                             |            |
| 270        | 156.700          |               | ○                    |                | ○              | ○                    |                             |            |
| 280        | 166.900          |               | ○                    |                | ○              | ○                    |                             |            |
| 290        | 178.700          |               | ○                    |                | ○              |                      |                             |            |
| 300        | 191.600          |               | ○                    |                | ○              | ○                    |                             |            |
| 310        | 204.500          |               | ○                    |                | ○              |                      |                             |            |
| 320        | 217.900          |               | ○                    |                | ○              | ○                    |                             |            |
| 330        | 231.700          |               | ○                    |                | ○              |                      |                             |            |
| 340        | 246.000          |               | ○                    |                | ○              |                      |                             |            |
| 350        | 260.700          |               | ○                    |                | ○              |                      |                             |            |

# \* 等辺アングル

R 付き




長さ▷ A6063→4,000  
A5052→4,000

| 寸 法 |     | 単位質量<br>(kg/mt) | 在 庫 品   |           | 寸 法 |      | 単位質量<br>(kg/mt) | 在 庫 品   |           |
|-----|-----|-----------------|---------|-----------|-----|------|-----------------|---------|-----------|
| A   | t   |                 | A6063T5 | A5052H112 | A   | t    |                 | A6063T5 | A5052H112 |
| 25  | 2.5 | 0.323           |         |           | 70  | 6.0  | 2.187           | ○       |           |
| 20  | 3.0 | 0.302           |         |           | 75  | 6.0  | 2.350           | ○       |           |
| 25  | 3.0 | 0.384           | ○       |           | 75  | 7.0  | 2.723           | ○       |           |
| 30  | 3.0 | 0.465           | ○       | ☆         | 90  | 7.0  | 3.294           | ○       |           |
| 35  | 3.0 | 0.547           |         |           | 65  | 8.0  | 2.655           | ○       |           |
| 40  | 3.0 | 0.628           | ○       | ☆         | 75  | 9.0  | 3.452           | ○       | ☆         |
| 50  | 3.0 | 0.792           | ○       |           | 100 | 10.0 | 5.168           | ○       |           |
| 25  | 4.0 | 0.500           |         |           |     |      |                 |         |           |
| 30  | 4.0 | 0.609           |         |           |     |      |                 |         |           |
| 35  | 4.0 | 0.718           |         |           |     |      |                 |         |           |
| 40  | 4.0 | 0.827           | ○       | ☆         |     |      |                 |         |           |
| 50  | 4.0 | 1.044           | ○       |           |     |      |                 |         |           |
| 30  | 5.0 | 0.748           | ○       |           |     |      |                 |         |           |
| 40  | 5.0 | 1.020           | ○       | ☆         |     |      |                 |         |           |
| 50  | 5.0 | 1.292           | ○       | ☆         |     |      |                 |         |           |
| 60  | 5.0 | 1.564           | ○       |           |     |      |                 |         |           |
| 40  | 6.0 | 1.208           | ○       |           |     |      |                 |         |           |
| 50  | 6.0 | 1.534           | ○       | ☆         |     |      |                 |         |           |
| 60  | 6.0 | 1.860           | ○       | ☆         |     |      |                 |         |           |
| 65  | 6.0 | 2.024           | ○       | ☆         |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |
|     |     |                 |         |           |     |      |                 |         |           |

\* 不等辺アングル

R 付き




長さ  $\triangleright$  4,000

| 寸法 |     |      | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 | 寸法 |   |   | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 |
|----|-----|------|-----------------|----------------|----|---|---|-----------------|----------------|
| A  | B   | t    |                 |                | A  | B | t |                 |                |
| 20 | 40  | 3.0  | 0.465           |                |    |   |   |                 |                |
| 25 | 45  | 3.0  | 0.547           |                |    |   |   |                 |                |
| 30 | 40  | 3.0  | 0.547           |                |    |   |   |                 |                |
| 40 | 65  | 3.0  | 0.832           |                |    |   |   |                 |                |
| 25 | 38  | 4.0  | 0.642           |                |    |   |   |                 |                |
| 35 | 50  | 4.0  | 0.881           |                |    |   |   |                 |                |
| 40 | 75  | 5.0  | 1.496           |                |    |   |   |                 |                |
| 50 | 65  | 5.0  | 1.496           |                |    |   |   | ○               |                |
| 50 | 75  | 5.0  | 1.632           |                |    |   |   | ○               |                |
| 50 | 60  | 6.0  | 1.697           |                |    |   |   |                 |                |
| 50 | 75  | 8.0  | 2.546           |                |    |   |   |                 |                |
| 50 | 75  | 10.0 | 3.116           |                |    |   |   |                 |                |
| 75 | 100 | 10.0 | 4.488           |                |    |   |   | ○               |                |
| 75 | 125 | 12.0 | 6.136           |                |    |   |   | ○               |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |
|    |     |      |                 |                |    |   |   |                 |                |

\* 不等辺アングル  
\* 等辺アングル


Rなし



長さ > 4,000

| 寸 法 |      | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 |
|-----|------|-----------------|----------------|
| A   | t    |                 |                |
| 15  | 1.5  | 0.116           | ○              |
| 19  | 1.5  | 0.149           | ○              |
| 20  | 1.5  | 0.156           |                |
| 30  | 1.5  | 0.238           |                |
| 38  | 1.5  | 0.304           |                |
| 45  | 1.5  | 0.360           |                |
| 50  | 1.5  | 0.400           |                |
| 20  | 2.0  | 0.207           | ○              |
| 25  | 2.0  | 0.261           | ○              |
| 30  | 2.0  | 0.316           | ○              |
| 40  | 2.0  | 0.422           |                |
| 50  | 2.0  | 0.533           |                |
| 55  | 2.0  | 0.585           |                |
| 60  | 2.0  | 0.639           |                |
| 70  | 2.2  | 0.821           |                |
| 80  | 2.3  | 0.983           |                |
| 25  | 2.5  | 0.323           | ○              |
| 15  | 3.0  | 0.220           |                |
| 20  | 3.0  | 0.302           | ○              |
| 25  | 3.0  | 0.384           | ○              |
| 30  | 3.0  | 0.465           | ○              |
| 35  | 3.0  | 0.547           | ○              |
| 40  | 3.0  | 0.628           | ○              |
| 50  | 3.0  | 0.792           | ○              |
| 25  | 4.0  | 0.500           | ○              |
| 30  | 4.0  | 0.607           | ○              |
| 35  | 4.0  | 0.713           | ○              |
| 40  | 4.0  | 0.827           | ○              |
| 50  | 4.0  | 1.044           | ○              |
| 30  | 5.0  | 0.748           | ○              |
| 40  | 5.0  | 1.020           | ○              |
| 50  | 5.0  | 1.292           | ○              |
| 40  | 6.0  | 1.198           | ○              |
| 50  | 6.0  | 1.534           | ○              |
| 60  | 6.0  | 1.846           |                |
| 65  | 6.0  | 2.024           |                |
| 100 | 10.0 | 5.168           | ○              |
|     |      |                 |                |
|     |      |                 |                |
|     |      |                 |                |

Rなし




長さ > 4,000

| 寸 法 |    |     | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 |
|-----|----|-----|-----------------|----------------|
| A   | B  | t   |                 |                |
| 15  | 18 | 1.2 | 0.104           |                |
| 9   | 20 | 1.5 | 0.111           |                |
| 9   | 25 | 1.5 | 0.131           |                |
| 9   | 30 | 1.5 | 0.151           |                |
| 9   | 40 | 1.5 | 0.193           |                |
| 10  | 15 | 1.5 | 0.095           |                |
| 10  | 20 | 1.5 | 0.115           |                |
| 10  | 30 | 1.5 | 0.156           |                |
| 15  | 20 | 1.5 | 0.136           | ○              |
| 15  | 25 | 1.5 | 0.156           | ○              |
| 15  | 30 | 1.5 | 0.177           |                |
| 15  | 40 | 1.5 | 0.217           |                |
| 15  | 45 | 1.5 | 0.237           |                |
| 15  | 18 | 1.8 | 0.153           | ○              |
| 15  | 20 | 1.8 | 0.163           |                |
| 15  | 20 | 2.0 | 0.178           |                |
| 15  | 25 | 2.0 | 0.206           |                |
| 15  | 30 | 2.0 | 0.234           | ○              |
| 20  | 30 | 2.0 | 0.261           | ○              |
| 20  | 40 | 2.0 | 0.316           |                |
| 20  | 50 | 2.0 | 0.370           |                |
| 25  | 50 | 2.0 | 0.397           |                |
| 13  | 35 | 2.5 | 0.308           |                |
| 15  | 25 | 3.0 | 0.299           |                |
| 15  | 30 | 3.0 | 0.340           |                |
| 20  | 30 | 3.0 | 0.384           |                |
| 20  | 40 | 3.0 | 0.465           | ○              |
| 25  | 50 | 3.0 | 0.583           | ○              |
| 35  | 50 | 3.0 | 0.664           |                |
| 25  | 38 | 4.0 | 0.637           | ○              |
| 35  | 50 | 4.0 | 0.880           |                |
| 40  | 60 | 5.0 | 1.290           | ○              |
| 50  | 75 | 5.0 | 1.648           |                |
|     |    |     |                 |                |
|     |    |     |                 |                |
|     |    |     |                 |                |

# \* チャンネル


## Rなし



長さ > 4,000

| 寸 法 |     |     | 単位質量<br>(kg/m) | 在庫品<br>A6063T5 |
|-----|-----|-----|----------------|----------------|
| A   | B   | t   |                |                |
| 12  | 18  | 1.0 | 0.108          |                |
| 13  | 22  | 1.0 | 0.124          |                |
| 15  | 10  | 1.2 | 0.126          |                |
| 10  | 24  | 1.5 | 0.172          |                |
| 16  | 25  | 1.5 | 0.220          | ○              |
| 10  | 10  | 1.6 | 0.117          | ○              |
| 20  | 38  | 1.9 | 0.380          |                |
| 10  | 18  | 2.0 | 0.185          |                |
| 12  | 22  | 2.0 | 0.228          |                |
| 15  | 15  | 2.0 | 0.223          | ○              |
| 15  | 30  | 2.0 | 0.305          | ○              |
| 20  | 20  | 2.0 | 0.305          | ○              |
| 20  | 35  | 2.0 | 0.383          |                |
| 20  | 40  | 2.0 | 0.411          |                |
| 25  | 25  | 2.0 | 0.386          | ○              |
| 20  | 35  | 2.4 | 0.458          |                |
| 30  | 30  | 2.4 | 0.556          | ○              |
| 20  | 40  | 3.0 | 0.604          | ○              |
| 25  | 30  | 3.0 | 0.599          |                |
| 25  | 50  | 3.0 | 0.767          | ○              |
| 30  | 50  | 3.0 | 0.849          |                |
| 30  | 60  | 3.0 | 0.930          | ○              |
| 40  | 80  | 4.0 | 1.654          | ○              |
| 50  | 100 | 5.0 | 2.584          | ○              |
| 65  | 125 | 6.0 | 3.966          |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |


## R付き



長さ > 4,000

| 寸 法 |     |     | 単位質量<br>(kg/m) | 在庫品<br>A6063T5 |
|-----|-----|-----|----------------|----------------|
| A   | B   | t   |                |                |
| 30  | 50  | 3.0 | 0.849          | ○              |
| 30  | 60  | 4.0 | 1.219          | ○              |
| 40  | 75  | 6.0 | 2.334          | ○              |
| 65  | 125 | 6.0 | 3.966          | ○              |
| 65  | 125 | 9.0 | 5.802          |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |
|     |     |     |                |                |

# \* 平角棒 (1)




長さ▷4,000

| 寸法 |    | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 | 寸法 |     | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 | 寸法 |     | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 |
|----|----|-----------------|----------------|----|-----|-----------------|----------------|----|-----|-----------------|----------------|
| A  | B  |                 |                | A  | B   |                 |                | A  | B   |                 |                |
| 2  | 20 | 0.109           |                | 5  | 10  | 0.136           | ○              | 8  | 15  | 0.324           | ○              |
| 2  | 25 | 0.136           |                | 5  | 13  | 0.177           | ○              | 8  | 20  | 0.435           | ○              |
| 2  | 30 | 0.163           |                | 5  | 15  | 0.204           | ○              | 8  | 25  | 0.540           | ○              |
| 2  | 40 | 0.216           |                | 5  | 20  | 0.272           | ○              | 8  | 30  | 0.653           | ○              |
|    |    |                 |                | 5  | 25  | 0.340           | ○              | 8  | 32  | 0.696           |                |
| 3  | 10 | 0.082           | ○              | 5  | 30  | 0.408           | ○              | 8  | 35  | 0.762           | ○              |
| 3  | 12 | 0.098           |                | 5  | 33  | 0.447           |                | 8  | 40  | 0.870           | ○              |
| 3  | 15 | 0.122           | ○              | 5  | 35  | 0.475           | ○              | 8  | 50  | 1.084           | ○              |
| 3  | 16 | 0.136           |                | 5  | 40  | 0.544           | ○              | 8  | 60  | 1.300           | ○              |
| 3  | 20 | 0.163           | ○              | 5  | 50  | 0.680           | ○              | 8  | 75  | 1.626           | ○              |
| 3  | 25 | 0.204           | ○              | 5  | 60  | 0.816           | ○              | 8  | 100 | 2.160           | ○              |
| 3  | 30 | 0.245           | ○              | 5  | 70  | 0.948           | ○              |    |     |                 |                |
| 3  | 35 | 0.286           | ○              |    |     |                 |                | 9  | 13  | 0.318           | ○              |
| 3  | 40 | 0.326           | ○              | 6  | 9   | 0.147           |                | 9  | 20  | 0.490           | ○              |
| 3  | 45 | 0.366           |                | 6  | 10  | 0.163           | ○              |    |     |                 |                |
| 3  | 50 | 0.406           | ○              | 6  | 12  | 0.196           | ○              | 10 | 12  | 0.327           |                |
|    |    |                 |                | 6  | 15  | 0.245           | ○              | 10 | 14  | 0.379           |                |
| 4  | 10 | 0.108           | ○              | 6  | 20  | 0.326           | ○              | 10 | 15  | 0.408           | ○              |
| 4  | 12 | 0.131           | ○              | 6  | 25  | 0.408           | ○              | 10 | 20  | 0.544           | ○              |
| 4  | 15 | 0.162           | ○              | 6  | 30  | 0.486           | ○              | 10 | 25  | 0.680           | ○              |
| 4  | 16 | 0.173           |                | 6  | 32  | 0.522           | ○              | 10 | 30  | 0.816           | ○              |
| 4  | 20 | 0.218           | ○              | 6  | 35  | 0.567           | ○              | 10 | 35  | 0.948           | ○              |
| 4  | 25 | 0.272           | ○              | 6  | 40  | 0.653           | ○              | 10 | 40  | 1.088           | ○              |
| 4  | 28 | 0.305           | ○              | 6  | 50  | 0.816           | ○              | 10 | 45  | 1.224           | ○              |
| 4  | 30 | 0.328           | ○              | 6  | 60  | 0.979           | ○              | 10 | 50  | 1.360           | ○              |
| 4  | 40 | 0.432           | ○              | 6  | 65  | 1.061           | ○              | 10 | 60  | 1.620           | ○              |
| 4  | 50 | 0.540           | ○              | 6  | 75  | 1.224           | ○              | 10 | 70  | 1.904           |                |
| 4  | 70 | 0.756           | ○              | 6  | 100 | 1.632           | ○              | 10 | 75  | 2.040           | ○              |
|    |    |                 |                |    |     |                 |                | 10 | 80  | 2.160           | ○              |
|    |    |                 |                |    |     |                 |                | 10 | 100 | 2.720           | ○              |




# \* 平角棒 (2)



長さ > 4,000

| 寸 法 |     | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 | 寸 法 |    | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 | 寸 法 |   | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 |
|-----|-----|-----------------|----------------|-----|----|-----------------|----------------|-----|---|-----------------|----------------|
| A   | B   |                 |                | A   | B  |                 |                | A   | B |                 |                |
| 10  | 150 | 4.065           | ○              | 20  | 40 | 2.176           | ○              |     |   |                 |                |
|     |     |                 |                | 20  | 50 | 2.720           | ○              |     |   |                 |                |
| 12  | 15  | 0.490           |                | 20  | 60 | 3.264           | ○              |     |   |                 |                |
| 12  | 20  | 0.653           | ○              | 20  | 70 | 3.790           | ○              |     |   |                 |                |
| 12  | 25  | 0.810           | ○              |     |    |                 |                |     |   |                 |                |
| 12  | 30  | 0.979           | ○              | 25  | 30 | 2.040           | ○              |     |   |                 |                |
| 12  | 40  | 1.300           | ○              | 25  | 35 | 2.380           | ○              |     |   |                 |                |
| 12  | 50  | 1.632           | ○              | 25  | 40 | 2.720           | ○              |     |   |                 |                |
| 12  | 60  | 1.951           | ○              | 25  | 50 | 3.400           | ○              |     |   |                 |                |
| 12  | 75  | 2.430           | ○              | 25  | 60 | 4.080           | ○              |     |   |                 |                |
| 12  | 100 | 3.264           | ○              | 25  | 80 | 5.440           | ○              |     |   |                 |                |
|     |     |                 |                | 25  | 90 | 6.075           |                |     |   |                 |                |
| 13  | 25  | 0.880           |                |     |    |                 |                |     |   |                 |                |
|     |     |                 |                | 30  | 35 | 2.856           |                |     |   |                 |                |
| 15  | 20  | 0.810           | ○              | 30  | 40 | 3.264           | ○              |     |   |                 |                |
| 15  | 25  | 1.012           | ○              | 30  | 50 | 4.080           | ○              |     |   |                 |                |
| 15  | 30  | 1.224           | ○              | 30  | 60 | 4.896           | ○              |     |   |                 |                |
| 15  | 40  | 1.620           | ○              | 30  | 65 | 5.304           | ○              |     |   |                 |                |
| 15  | 50  | 2.040           | ○              | 30  | 75 | 6.100           | ○              |     |   |                 |                |
| 15  | 60  | 2.448           | ○              |     |    |                 |                |     |   |                 |                |
| 15  | 70  | 2.856           |                | 31  | 61 | 5.144           |                |     |   |                 |                |
| 15  | 75  | 3.048           | ○              |     |    |                 |                |     |   |                 |                |
| 15  | 100 | 4.080           | ○              | 35  | 40 | 3.808           |                |     |   |                 |                |
|     |     |                 |                |     |    |                 |                |     |   |                 |                |
| 16  | 25  | 1.084           |                | 40  | 60 | 6.528           |                |     |   |                 |                |
|     |     |                 |                |     |    |                 |                |     |   |                 |                |
| 20  | 25  | 1.360           | ○              |     |    |                 |                |     |   |                 |                |
| 20  | 30  | 1.632           | ○              |     |    |                 |                |     |   |                 |                |
| 20  | 35  | 1.904           | ○              |     |    |                 |                |     |   |                 |                |

# \* 四角棒



長さ > 4,000


| 寸 法<br>(A) | 単位質量<br>(kg/mt) | 在庫品      |  | 寸 法<br>(A) | 単位質量<br>(kg/mt) | 在庫品      |  |
|------------|-----------------|----------|--|------------|-----------------|----------|--|
|            |                 | A6063 T5 |  |            |                 | A6063 T5 |  |
| 6          | 0.098           | ○        |  | 25         | 1.700           | ○        |  |
| 8          | 0.174           | ○        |  | 30         | 2.448           | ○        |  |
| 9          | 0.220           | ○        |  | 32         | 2.785           | ○        |  |
| 10         | 0.272           | ○        |  | 35         | 3.332           | ○        |  |
| 12         | 0.392           | ○        |  | 38         | 3.928           | ○        |  |
| 13         | 0.460           | ○        |  | 40         | 4.352           | ○        |  |
| 14         | 0.533           | ○        |  | 42         | 4.798           |          |  |
| 15         | 0.614           | ○        |  | 45         | 5.508           | ○        |  |
| 16         | 0.696           | ○        |  | 50         | 6.800           | ○        |  |
| 17         | 0.786           |          |  | 55         | 8.228           | ○        |  |
| 18         | 0.881           |          |  |            |                 |          |  |
| 19         | 0.982           | ○        |  |            |                 |          |  |
| 20         | 1.088           | ○        |  |            |                 |          |  |
| 22         | 1.316           | ○        |  |            |                 |          |  |

| 寸 法           | 単位質量<br>(kg/mt) | 在庫品      |  | 寸 法                      | 単位質量<br>(kg/mt) | 在庫品      |  |
|---------------|-----------------|----------|--|--------------------------|-----------------|----------|--|
|               |                 | A2017 T4 |  |                          |                 | A2017 T4 |  |
| 40<br>L=2,000 | 4.480           | ○        |  | 60<br>L=4,000<br>L=2,000 | 10.080          | ○        |  |


# \* 六角棒

<全量在庫> 長さ > 4,000  
在庫材質 C6PT8 (A2011 相当)

| 寸 法<br>A | 単位質量<br>(kg/mt) | 寸 法<br>A | 単位質量<br>(kg/mt) |
|----------|-----------------|----------|-----------------|
|          |                 |          |                 |
| 10       | 0.250           | 23       | 1.300           |
| 13       | 0.412           | 27       | 1.787           |
| 17       | 0.700           | 32       | 2.500           |
| 19       | 0.875           |          |                 |
| 21       | 1.075           |          |                 |



# \*角管




A6063 T5  
長さ > 4,000

| 寸 法  |      |     | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 | 寸 法 |     |     | 単位質量<br>(kg/mt) | 在庫品<br>A6063T5 |
|------|------|-----|-----------------|----------------|-----|-----|-----|-----------------|----------------|
| A    | B    | t   |                 |                | A   | B   | t   |                 |                |
| 15   | 15   | 1.5 | 0.220           | ○              | 10  | 15  | 1.2 | 0.146           |                |
| 19   | 19   | 1.5 | 0.286           | ○              | 12  | 18  | 1.2 | 0.180           |                |
| 19   | 19   | 2.4 | 0.431           |                | 10  | 30  | 1.5 | 0.300           |                |
| 20   | 20   | 1.5 | 0.313           |                | 15  | 20  | 1.5 | 0.261           |                |
| 20   | 20   | 2.0 | 0.392           | ○              | 15  | 25  | 1.5 | 0.302           | ○              |
| 25   | 25   | 2.0 | 0.500           | ○              | 15  | 30  | 2.0 | 0.446           |                |
| 25   | 25   | 2.5 | 0.640           |                | 20  | 30  | 2.0 | 0.500           | ○              |
| 25.4 | 25.4 | 1.6 | 0.414           | ○              | 20  | 40  | 2.0 | 0.609           | ○              |
| 30   | 30   | 1.5 | 0.463           |                | 25  | 50  | 2.0 | 0.772           | ○              |
| 30   | 30   | 2.0 | 0.609           | ○              | 25  | 60  | 2.0 | 0.881           | ○              |
| 30   | 30   | 3.0 | 0.881           | ○              | 30  | 40  | 2.0 | 0.718           | ○              |
| 40   | 40   | 2.0 | 0.827           | ○              | 30  | 40  | 3.0 | 1.045           |                |
| 40   | 40   | 3.0 | 1.208           | ○              | 30  | 60  | 2.0 | 0.936           | ○              |
| 40   | 40   | 4.0 | 1.560           |                | 30  | 70  | 2.0 | 1.044           |                |
| 50   | 50   | 2.0 | 1.044           | ○              | 30  | 70  | 3.0 | 1.534           | ○              |
| 50   | 50   | 2.5 | 1.316           |                | 35  | 70  | 2.0 | 1.099           |                |
| 50   | 50   | 3.0 | 1.534           | ○              | 40  | 60  | 2.0 | 1.044           |                |
| 50   | 50   | 5.0 | 2.440           |                | 40  | 60  | 2.5 | 1.292           |                |
| 60   | 60   | 2.0 | 1.257           | ○              | 40  | 60  | 3.0 | 1.534           | ○              |
| 80   | 80   | 2.0 | 1.690           | ○              | 40  | 80  | 2.5 | 1.564           | ○              |
|      |      |     |                 |                | 50  | 100 | 2.5 | 1.972           | ○              |

# \*型材

## ● 玉 材


<全量在庫> (A6063 T1材) 長さ > 4,000



| 寸 法 |    |     | 単位質量<br>(kg/mt) |
|-----|----|-----|-----------------|
| A   | B  | t   |                 |
| 8   | 15 | 2   | 0.217           |
| 10  | 15 | 2.5 | 0.313           |
| 15  | 17 | 3   | 0.615           |

## ● 足 材


<在庫品> (A6063 T1材) 長さ > 4,000



型 番 WS-35 (0.400kg/mt)


## ● T 材

<在庫品> (A6063 T5材) 長さ > 4,000



型 番 WS-265 (0.550kg/mt)


\* 引抜丸管 (標準在庫寸法)



○印▷A1070TD 長さ 4,000  
 ☆印▷A5052TD 長さ 4,000

| 外径<br>(D) | 肉 厚 (t) |     |     |     |     |     |     |     |          |
|-----------|---------|-----|-----|-----|-----|-----|-----|-----|----------|
|           | 0.8     | 1.0 | 1.4 | 1.5 | 2.0 | 3.0 | 4.0 | 5.0 | その他      |
| 6         |         | ○   |     |     |     |     |     |     |          |
| 8         | ○       | ○   | ☆   |     |     |     |     |     |          |
| 10        |         | ○   | ☆   | ○   |     |     |     |     |          |
| 12        |         | ○☆  |     |     | ○☆  |     |     |     |          |
| 12.7      |         | ○   |     |     |     |     |     |     |          |
| 14        |         | ○   |     |     | ○   |     |     |     |          |
| 15        |         | ○   | ☆   |     |     |     |     |     |          |
| 16        |         | ○   |     | ○   | ○☆  | ☆   |     |     |          |
| 17        |         | ○   |     |     |     |     |     |     |          |
| 18        |         | ○   |     | ○   |     |     |     |     |          |
| 19        |         | ○☆  |     | ○   | ○☆  | ○   |     |     |          |
| 20        |         | ○   | ☆   | ○   | ○☆  | ☆   |     |     |          |
| 22        |         | ○   |     | ○   | ○☆  | ☆   |     |     |          |
| 25        |         | ○   |     | ○   | ○☆  | ○☆  |     |     | ☆ t=1.6  |
| 28        |         |     |     |     | ○☆  | ☆   |     |     | ☆ t=1.6  |
| 30        |         | ○   | ☆   |     | ○☆  | ○☆  |     |     |          |
| 32        |         |     |     |     | ○☆  | ○☆  |     |     |          |
| 35        |         |     |     |     | ○☆  | ○☆  |     |     |          |
| 38        |         |     |     |     | ○☆  | ○☆  | ☆   | ☆   | ☆ t=3.75 |
| 40        |         | ○   |     |     | ○☆  | ○☆  | ○☆  | ☆   |          |
| 42        |         |     |     |     | ○   |     |     |     |          |
| 43        |         |     |     | ○   |     |     |     |     |          |
| 45        |         |     |     |     | ○☆  | ○☆  |     | ○☆  |          |
| 50        |         |     |     | ○   | ○☆  | ○☆  | ○☆  | ○☆  |          |
| 55        |         |     |     |     |     |     |     | ☆   | ☆ t=8.0  |
| 60        |         |     |     |     | ☆   | ○☆  | ○☆  | ○☆  |          |
| 65        |         |     |     |     |     | ○☆  |     | ○☆  |          |
| 70        |         |     |     |     |     | ○☆  |     | ○☆  |          |
| 75        |         |     |     |     |     | ○☆  |     | ○☆  |          |
| 80        |         |     |     |     |     | ○☆  | ☆   | ○☆  |          |
| 85        |         |     |     |     |     |     |     | ○   |          |
| 90        |         |     |     |     |     | ○   | ☆   | ○☆  |          |
| 100       |         |     |     |     |     | ○☆  | ○   | ○☆  |          |
| 110       |         |     |     |     |     | ○   |     | ○☆  |          |
| 120       |         |     |     |     |     | ○   | ☆   | ○☆  |          |
| 130       |         |     |     |     |     | ○☆  |     | ○☆  |          |
| 140       |         |     |     |     |     |     |     | ☆   |          |
| 150       |         |     |     |     |     | ○   |     | ○☆  |          |
| 165       |         |     |     |     |     |     |     | ○   |          |

# \* 押出丸管




※ □ 枠内は押出管ダイスあり、別途制作承ります。

◎印▷A6063TE-T5 長さ 4,000  
☆印▷A5052TE H112 長さ 4,000

| 外径 (D) | 肉 厚 (t)   |     |     |     |     |     |     |   |
|--------|-----------|-----|-----|-----|-----|-----|-----|---|
|        | 1.0       | 1.5 | 2.0 | 2.5 | 3.0 | 4.0 | 5.0 |   |
| 10     | ◎         |     |     |     |     |     |     |   |
| 11     | ◎         |     |     |     |     |     |     |   |
| 12     | ◎         |     | ◎   |     |     |     |     |   |
| 13     | ◎         |     |     |     |     |     |     |   |
| 14     | ◎         |     |     |     |     |     |     |   |
| 15     | ◎         |     |     |     |     |     |     |   |
| 16     | ◎         | ◎   |     |     |     |     |     |   |
| 18     | ◎         |     |     |     |     |     |     |   |
| 19     | ◎         | ◎   |     |     |     |     |     |   |
| 20     | ◎         | ◎   | ◎   |     |     |     |     |   |
| 22     | ◎         | ◎   | ◎   |     |     |     |     |   |
| 25     | ◎         | ◎   | ◎   |     | ◎☆  |     |     |   |
| 28     | ◎         | ◎   | ◎   |     | ◎   |     |     |   |
| 30     | ◎         | ◎   | ◎   |     | ◎☆  |     |     |   |
| 32     |           | ◎   | ◎   |     | ◎   |     |     |   |
| 35     |           | ◎   | ◎   |     | ◎☆  |     |     |   |
| 38     |           | ◎   | ◎   |     | ◎   |     |     |   |
| 40     |           | ◎   | ◎   |     | ◎☆  |     |     |   |
| 45     |           | ◎   | ◎   |     | ◎   |     |     |   |
| 50     |           | ◎   | ◎   |     | ◎   |     | ◎☆  |   |
| 55     |           |     | ◎   |     | ◎   |     |     |   |
| 60     |           |     | ◎   |     | ◎   |     | ◎   |   |
| 65     |           |     | ◎   |     | ◎   |     |     |   |
| 70     |           |     |     |     | ◎   |     | ◎   |   |
| 75     |           |     |     |     | ◎   |     |     |   |
| 80     |           |     |     |     | ◎   |     |     |   |
| 90     |           |     |     |     | ◎   |     | ◎   |   |
| 100    |           |     |     |     | ◎   |     | ◎   |   |
| 110    |           |     |     |     | ◎   |     | ◎   |   |
| 120    |           |     |     |     | ◎   |     | ◎   |   |
| 130    |           |     |     |     |     |     | ◎   |   |
| 140    |           |     |     |     |     |     |     |   |
| 150    |           |     |     |     |     |     | ◎   |   |
| 180    | A6063TD-H |     |     |     |     |     |     | ◎ |

# \* 丸管質量表



## <比重>

A1070 ..... 2.71

A6063 ..... 2.71

A5052 ..... 2.69

(外径 - 肉厚) × 肉厚 × 3.14 × 比重 = g / mt

単位(A1070) → kg/mt


| 外 径<br>(D) | 肉 厚 (t) |       |       |       |       |       |       |       |                 |
|------------|---------|-------|-------|-------|-------|-------|-------|-------|-----------------|
|            | 0.8     | 1.0   | 1.4   | 1.5   | 2.0   | 3.0   | 4.0   | 5.0   | 7.0             |
| 6          | 0.035   | 0.043 |       |       |       |       |       |       |                 |
| 8          | 0.049   | 0.060 | 0.079 |       |       |       |       |       |                 |
| 10         | 0.063   | 0.077 | 0.103 | 0.109 |       |       |       |       |                 |
| 11         |         | 0.085 |       |       |       |       |       |       |                 |
| 12         | 0.076   | 0.094 | 0.127 | 0.134 | 0.171 |       |       |       |                 |
| 12.7       | 0.081   | 0.099 | 0.134 | 0.142 | 0.182 |       |       |       |                 |
| 13         |         | 0.102 |       |       |       |       |       |       |                 |
| 14         | 0.090   | 0.111 | 0.150 | 0.159 | 0.205 |       |       |       |                 |
| 15         | 0.097   | 0.119 | 0.163 | 0.172 | 0.221 |       |       |       |                 |
| 16         |         | 0.128 | 0.174 | 0.186 | 0.239 | 0.332 |       |       |                 |
| 17         |         | 0.136 | 0.186 | 0.198 | 0.255 | 0.357 |       |       |                 |
| 18         |         | 0.145 | 0.198 | 0.211 | 0.272 | 0.383 |       |       |                 |
| 19         |         | 0.153 | 0.209 | 0.223 | 0.289 | 0.408 |       |       |                 |
| 20         |         | 0.169 | 0.223 | 0.238 | 0.308 | 0.433 |       |       |                 |
| 22         |         | 0.179 | 0.245 | 0.262 | 0.342 | 0.485 |       |       |                 |
| 25         |         | 0.205 | 0.281 | 0.301 | 0.393 | 0.561 |       |       | t=1.6<br>0.320  |
| 28         |         | 0.230 | 0.317 | 0.338 | 0.444 | 0.638 |       |       | t=1.6<br>0.361  |
| 30         |         | 0.248 | 0.342 | 0.363 | 0.479 | 0.692 | 0.884 | 1.063 |                 |
| 32         |         | 0.264 | 0.364 | 0.389 | 0.513 | 0.743 | 0.952 | 1.188 |                 |
| 35         |         | 0.289 | 0.402 | 0.427 | 0.564 | 0.820 | 1.054 | 1.275 |                 |
| 38         |         | 0.315 | 0.436 | 0.465 | 0.615 | 0.898 | 1.156 | 1.403 | t=3.75<br>1.098 |
| 40         |         | 0.333 | 0.459 | 0.491 | 0.649 | 0.949 | 1.224 | 1.487 |                 |
| 42         |         |       |       | 0.516 | 0.680 | 0.994 | 1.292 | 1.573 |                 |
| 43         |         |       |       | 0.529 | 0.697 | 1.020 | 1.326 | 1.615 |                 |
| 45         |         |       |       | 0.555 | 0.735 | 1.077 | 1.394 | 1.700 |                 |
| 50         |         |       |       | 0.618 | 0.820 | 1.205 | 1.572 | 1.912 | 2.599           |
| 55         |         |       |       |       | 0.901 | 1.326 | 1.734 | 2.125 | t=8<br>3.215    |
| 60         |         |       |       |       | 0.991 | 1.461 | 1.914 | 2.337 | 3.154           |
| 65         |         |       |       |       | 1.077 | 1.590 | 2.086 | 2.565 | 3.471           |
| 70         |         |       |       |       | 1.156 | 1.718 | 2.244 | 2.762 | 3.749           |
| 75         |         |       |       |       | 1.248 | 1.846 | 2.414 | 2.975 | 4.046           |
| 80         |         |       |       |       | 1.326 | 1.975 | 2.598 | 3.187 | 4.344           |
| 85         |         |       |       |       | 1.411 | 2.091 | 2.754 | 3.400 | 4.668           |
| 90         |         |       |       |       | 1.496 | 2.230 | 2.939 | 3.612 | 4.939           |
| 100        |         |       |       |       | 1.666 | 2.486 | 3.246 | 4.037 | 5.534           |
| 110        |         |       |       |       |       | 2.743 | 3.604 | 4.462 | 6.129           |
| 120        |         |       |       |       |       | 3.000 | 3.944 | 4.887 | 6.724           |
| 130        |         |       |       |       |       | 3.256 | 4.284 | 5.341 | 7.319           |
| 140        |         |       |       |       |       |       | 4.624 | 5.738 | 7.914           |
| 150        |         |       |       |       |       | 3.769 | 4.964 | 6.195 | 8.509           |
| 165        |         |       |       |       |       |       |       | 6.622 | 9.401           |

# 取り寄せ品



当カタログのP17までが当社常時在庫品です。  
この頁(P18)以降は在庫しておりませんが、  
2日～6日の余裕をいただければ取り寄せする  
ことができます。  
なお、取り寄せ品の場合、返品することができ  
ませんので、あらかじめご了承ください、ご注文  
いただきますようお願い致します。

# \* 丸棒



長さ L=2,000

☆印は調質 T6、[◎] は JIS 相当品


□ は 鋳造棒あり、L=1,200

| サイズ (D) | 単位質量 (kg/mt) | A2014BE T6 | A2024BE T4 | A5083BE O | A6063BE T6 | A7075BE T6511 | A2017BE T4 | A5056BE H112 |
|---------|--------------|------------|------------|-----------|------------|---------------|------------|--------------|
| 15      | 0.495        |            | ◎          |           |            | ◎             |            |              |
| 20      | 0.880        | ◎          | ◎          |           |            | ◎             |            |              |
| 25      | 1.375        | ◎          | ◎          |           |            | ◎             |            |              |
| 26      | 1.487        | ◎          |            |           |            |               |            |              |
| 28      | 1.725        | ◎          |            |           |            |               |            |              |
| 30      | 1.980        | ◎          | ◎          |           |            | ◎             |            |              |
| 35      | 2.695        | ◎          | ◎          |           |            | ◎             |            |              |
| 36      | 2.851        | ◎          |            |           |            |               |            |              |
| 40      | 3.520        | ◎          | ◎          |           |            | ◎             |            |              |
| 45      | 4.455        | ◎          | ◎          |           |            | ◎             |            |              |
| 50      | 5.500        | ◎          | ◎          | ◎         | ◎          | ◎             |            |              |
| 55      | 6.655        | ◎          | ◎          |           |            | ◎             |            |              |
| 60      | 7.920        | ◎          | ◎          | ◎         | ◎          | ◎             |            |              |
| 65      | 9.295        | ◎          | ◎          |           |            | ◎             |            |              |
| 70      | 10.780       | ◎          | ◎          |           | ◎          | ◎             |            |              |
| 75      | 12.375       | ◎          | ◎          | ◎         |            | ◎             |            |              |
| 80      | 14.080       | ◎          | ◎          |           | ◎          | ◎             |            |              |
| 85      | 15.895       | ◎          | ◎          | ◎         | ◎          | ◎             |            |              |
| 90      | 17.820       | ◎          | ◎          |           | ◎          | ◎             |            |              |
| 95      | 19.855       | ◎          | ◎          |           |            | ◎             |            |              |
| 100     | 22.000       | ◎          | ◎          |           | ◎          | ◎             |            |              |
| 105     | 24.255       |            |            | ◎         |            |               |            |              |
| 110     | 26.620       | ◎ L=1000   | ◎          |           | ◎          | ◎             |            |              |
| 120     | 31.680       | ◎          | ◎          |           | ◎          | ◎             |            |              |
| 125     | 34.375       |            |            | ◎         |            |               |            |              |
| 130     | 37.180       | ◎ L=1000   | ◎          |           | ◎          | ◎             |            |              |
| 140     | 43.120       | ◎ L=1000   | ◎          |           | ◎          | ☆◎            |            |              |
| 150     | 49.500       | ◎ L=1000   | ◎          |           | ◎          | ☆◎            |            |              |
| 155     | 52.855       |            |            | ◎         |            |               |            |              |
| 160     | 56.320       | ◎ L=1000   | ◎          |           |            | ☆◎            |            |              |
| 170     | 63.580       |            |            |           | ◎          |               |            |              |
| 180     | 71.280       |            | ◎          | ◎         | ◎          | ☆◎            |            |              |
| 200     | 88.000       |            | ◎          |           | ◎          | ☆◎            |            |              |
| 205     | 92.455       |            |            | ◎         |            |               |            |              |
| 230     | 116.380      |            | ◎          |           |            | ☆◎            |            |              |
| 235     | 121.495      |            |            | ◎         |            |               |            |              |
| 250     | 137.500      |            | ◎          |           |            | ☆◎            |            |              |
| 255     | 143.055      |            |            | ◎         |            |               |            |              |
| 280     | 172.480      |            |            | ◎         |            | ☆◎            |            |              |
| 300     | 198.000      |            |            |           |            | ☆◎            |            |              |
| 310     | 211.420      |            |            | ◎         |            |               | ◎          | ◎            |
| 320     | 225.280      |            |            |           |            |               | ◎          | ◎            |
| 330     | 239.580      |            |            |           |            |               | ◎          | ◎            |
| 340     | 254.320      |            |            |           |            |               | ◎          | ◎            |
| 350     | 269.500      |            |            |           |            |               | ◎          | ◎            |
| 360     | 285.120      |            |            |           |            |               | [◎]        | [◎]          |
| 370     | 301.180      |            |            |           |            |               | [◎]        | [◎]          |
| 380     | 317.680      |            |            |           |            |               |            |              |
| 400     | 352.000      |            |            |           |            |               |            |              |
| 410     | 369.820      |            |            |           |            |               |            |              |
| 420     | 388.080      |            |            |           |            |               |            |              |
| 430     | 406.780      |            |            |           |            |               |            |              |
| 450     | 445.500      |            |            |           |            |               |            |              |
| 480     | 506.880      |            |            |           |            |               |            |              |



# \* 型 材


## ● 平角棒



A6063 T5  
長さ > 4,000


| 寸 法 |     |         | 単位質量<br>(kg/mt) |
|-----|-----|---------|-----------------|
| A   | B   |         |                 |
| 5   | 70  |         | 0.952           |
| 12  | 120 |         | 3.917           |
| 20  | 100 |         | 5.440           |
| 25  | 80  |         | 5.440           |
| 30  | 65  |         | 5.304           |
| 40  | 75  |         | 8.160           |
| A   | A   |         |                 |
| 60  | 60  | L=4,000 | 9.792           |
| 70  | 70  |         | 13.32           |
| 80  | 80  |         | 17.408          |
| 100 | 100 |         | 27.200          |
| A   | B   | t       |                 |
| 30  | 100 | 2.5     | 1.700           |
| 50  | 150 | 3       | 3.166           |
| 60  | 120 | 2.8     | 2.638           |
| A   | A   | t       |                 |
| 30  | 30  | 1.5     | 0.465           |
| 100 | 100 | 3       | 3.166           |

## ● 四角棒




A6063 T5  
長さ > 2,000

## ● 平角管



A6063 T5  
長さ > 5,000


## ● 角管



A6063 T5  
長さ > 5,000

## ● チャンネル A6063 T5

Rなし





| チャンネル (※は R 付) L=5,000 |     |     |       | 単位質量<br>(kg/mt) | B2 付チャンネル L=3,640 |     |       | 単位質量<br>(kg/mt) |
|------------------------|-----|-----|-------|-----------------|-------------------|-----|-------|-----------------|
| A                      | B   | t   |       |                 | A                 | B   | t     |                 |
| 10                     | 18  | 2   | 0.185 | 8               | 5.5               | 1   | 0.053 |                 |
| 20                     | 35  | 2.4 | 0.455 | 10              | 7.5               | 1   | 0.069 |                 |
| 15                     | 30  | 2   | 0.302 | 10              | 8                 | 1   | 0.071 |                 |
| 40                     | 75  | 3.2 | 1.293 | 10              | 10                | 1   | 0.076 |                 |
| 65                     | 125 | 6   | 3.966 | 15              | 10                | 1   | 0.103 |                 |
| ※75                    | 150 | 8   | 6.180 | 10              | 12                | 1   | 0.082 |                 |
|                        |     |     |       | 11              | 14                | 1   | 0.092 |                 |
|                        |     |     |       | 20              | 8.5               | 1.5 | 0.186 |                 |
|                        |     |     |       | 12              | 18                | 1   | 0.109 |                 |
|                        |     |     |       | 13              | 22                | 1   | 0.125 |                 |
|                        |     |     |       | 15              | 27                | 1   | 0.150 |                 |
|                        |     |     |       | 15              | 32                | 1   | 0.163 |                 |

## ● アンクル A6063 T5


☆は L=3,640 ※は L=4,000

Rなし



| 等辺アンクル L=4,000 |     |     |       | 単位質量<br>(kg/mt) | B2 付アンクル |     |                 | 単位質量<br>(kg/mt) |
|----------------|-----|-----|-------|-----------------|----------|-----|-----------------|-----------------|
| A              | A   | t   |       |                 | A        | A   | t               |                 |
| 10             | 10  | 1.2 | 0.061 | ☆ 9             | 9        | 0.8 | 0.037           |                 |
| 15             | 15  | 2   | 0.152 | ☆ 12            | 12       | 0.8 | 0.050           |                 |
| 15             | 15  | 3   | 0.220 | ☆ 15            | 15       | 0.8 | 0.064           |                 |
| 20             | 20  | 1.5 | 0.157 | ☆ 19            | 19       | 0.8 | 0.081           |                 |
| 60             | 60  | 6   | 1.860 | ☆ 25            | 25       | 0.8 | 0.107           |                 |
| 65             | 65  | 6   | 2.024 | ☆ 30            | 30       | 0.8 | 0.129           |                 |
| 100            | 100 | 10  | 5.168 | ※ 50            | 50       | 1.3 | 0.349           |                 |
|                |     |     |       | ※ 30            | 30       | 1.4 | 0.223           |                 |
|                |     |     |       | ※ 45            | 45       | 1.5 | 0.361           |                 |
|                |     |     |       | ※ 60            | 60       | 2   | 0.642           |                 |
|                |     |     |       | ※ 70            | 70       | 2.2 | 0.825           |                 |
|                |     |     |       | ※ 80            | 80       | 2.3 | 0.987           |                 |
|                |     |     |       | B2 付不等辺アンクル     |          |     | 単位質量<br>(kg/mt) |                 |
| A              | B   | t   |       | A               | B        | t   |                 |                 |
| 10             | 20  | 1.5 | 0.116 | ☆ 6             | 12       | 1.2 | 0.055           |                 |
| 15             | 20  | 2   | 0.180 | ☆ 6             | 18       | 1   | 0.063           |                 |
| 15             | 25  | 2   | 0.207 | ※ 10            | 25       | 1.5 | 0.137           |                 |
| 20             | 40  | 2   | 0.316 | ※ 10            | 30       | 1.5 | 0.157           |                 |
| 20             | 30  | 3   | 0.384 | ※ 10            | 40       | 1.5 | 0.198           |                 |
| 35             | 50  | 4   | 0.881 | ※ 15            | 20       | 1.4 | 0.128           |                 |
| 50             | 75  | 5   | 1.632 | ※ 15            | 20       | 2   | 0.180           |                 |

# \* 丸管



◎印▷A6063TD  
☆印▷A5052TD-H34

| 外 径<br>(D) | 肉 厚 (t)    |            |   |   |      |   |    |    |    |
|------------|------------|------------|---|---|------|---|----|----|----|
|            | 5          | 6          | 7 | 8 | 8.75 | 9 | 10 | 12 | 14 |
| 62         |            |            | ☆ |   |      |   |    |    |    |
| 72         |            |            | ☆ |   |      |   |    |    |    |
| 77         |            |            | ☆ |   |      |   |    |    |    |
| 82         |            | ☆          | ☆ | ☆ |      |   |    |    |    |
| 87         |            | ☆          |   |   |      |   |    |    |    |
| 100        |            |            | ☆ |   |      |   |    |    |    |
| 102        |            | ☆          | ☆ | ☆ |      |   |    |    |    |
| 112        |            |            |   | ☆ |      |   |    |    |    |
| 120        |            |            | ☆ |   |      |   |    |    |    |
| 122        |            | ☆          | ☆ | ☆ |      |   |    |    |    |
| 132        |            |            |   | ☆ |      |   |    |    |    |
| 142        |            |            |   | ☆ |      |   |    |    |    |
| 152        |            |            |   | ☆ |      |   | ☆  |    |    |
| 160        | ◎<br>5000L |            |   |   |      |   |    |    |    |
| 162        |            |            |   | ☆ |      |   |    |    |    |
| 180        | ◎<br>4000L |            |   |   |      |   |    |    |    |
| 183        |            |            |   |   |      |   | ☆  |    |    |
| 200        | ◎<br>4000L |            |   |   |      |   |    |    |    |
| 203        |            |            |   |   | ☆    |   | ☆  |    | ☆  |
| 220        |            | ◎<br>3000L |   |   |      |   |    |    |    |
| 222        |            |            |   |   |      |   | ☆  |    |    |
| 253        |            |            |   |   |      |   |    | ☆  |    |
|            |            |            |   |   |      |   |    |    |    |
|            |            |            |   |   |      |   |    |    |    |

和伸商事株式会社

本社 ●〒541-0053 大阪府中央区本町4-5-3 大和本町ビル ●TEL 大阪(06)6267-0321(代表) ●FAX(06)6267-0320  
物流センター ●〒587-0021 大阪府堺市美原区小平尾451番 ●TEL 大阪(072)369-0840 ●FAX(072)369-0906  
東京営業所 ●〒101-0023 東京都千代田区神田松永町22番地 成瀬秋葉原ビル ●TEL 東京(03)3255-3555(代表) ●FAX(03)3255-3558  
●URL <http://www.washin-al.co.jp>